



www.camachem.com

Contact: sales@camachem.com

Material Safety Data Sheet (MSDS)

Section 1: Chemical Product and Company Identification			
Product Name	Glutaraldehyde 50% Industry Grade with Formaldehyde		
CAS Number	111-30-8		
Chemical Formula	C5H8O2		
Company Name	CAMACHEM (Part of CAMAL Group) 3F Jinlong East Beijing Station Road Chaoyang District, Beijing, China		
Contact	sales@camachem.com		
Company Website	www.camachem.com		
Section 2: Composition and Information on Ingredients			
CAS#	Chemical Name	Percent	EINECS/ELINCS
111-30-8	Glutaraldehyde	50	203-856-5
Section 3: Hazards Identification			
EMERGENCY OVERVIEW			
Appearance: clear, colorless liquid.			
Danger! Causes eye and skin burns. Harmful if swallowed, inhaled, or absorbed through the skin. May cause allergic respiratory and skin reaction. Dangerous for the environment.			
Target Organs: Heart, central nervous system, eyes, skin.			
Potential Health Effects			
Eye: Causes severe eye irritation. May cause eye injury.			
Skin: Causes severe skin irritation. May cause skin sensitization, an allergic reaction, which becomes evident upon re-exposure to this material. May cause hives. May cause staining of the hands (brownish or tan).			

CAMACHEM (Part of CAMAL Group), 3F Jinlong East Beijing Station Road
Chaoyang District, Beijing, China
www.camachem.com



Contact: sales@camachem.com

Ingestion: Harmful if swallowed. May cause severe irritation of the digestive tract.

Inhalation: Harmful if inhaled. May cause respiratory tract irritation. May cause asthma and shortness of breath. May cause nausea, dizziness, and headache.

Chronic: Effects may be delayed. Repeated or prolonged exposure may cause allergic reactions in sensitive individuals.

Section 4: First Aid Measures

Eyes: Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid.

Skin: Get medical aid. Flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Destroy contaminated shoes.

Ingestion: Do not induce vomiting. If victim is conscious and alert, give 2-4 cupfuls of milk or water. Never give anything by mouth to an unconscious person. Get medical aid immediately.

Inhalation: Get medical aid immediately. Remove from exposure and move to fresh air immediately. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Do NOT use mouth-to-mouth resuscitation.

Notes to Physician: Treat symptomatically and supportively.

Section 5: Fire and Explosion Data

General Information: Containers can build up pressure if exposed to heat and/or fire. As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion.

Extinguishing Media: Use extinguishing media most appropriate for the surrounding fire.

Flash Point: Not available.

Autoignition Temperature: Not available.

Explosion Limits, Lower: Not available.

Upper: Not available.

NFPA Rating: (estimated) Health: 3; Flammability: 1; Instability: 1

Section 6: Accidental Release Measures

General Information: Use proper personal protective equipment as indicated in Section 8.

Spills/Leaks: Avoid runoff into storm sewers and ditches which lead to waterways. Clean up spills

**CAMACHEM (Part of CAMAL Group), 3F Jinlong East Beijing Station Road
Chaoyang District, Beijing, China
www.camachem.com**



Contact: sales@camachem.com

immediately, observing precautions in the Protective Equipment section. Absorb spill using an absorbent, non-combustible material such as earth, sand, or vermiculite. Do not use combustible materials such as sawdust. Provide ventilation.

Section 7: Handling and Storage

Handling: Wash thoroughly after handling. Remove contaminated clothing and wash before reuse. Do not get in eyes, on skin, or on clothing. Use only with adequate ventilation. Avoid breathing vapor.

Storage: Keep container closed when not in use. Store in a cool, dry, well-ventilated area away from incompatible substances. Refrigeration has been recommended.

Section 8: Exposure Controls/Personal Protection

Engineering Controls: Use process enclosure, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits. Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.

Exposure Limits

Chemical Name	ACGIH	NIOSH	OSHA - Final PELs
Glutaraldehyde	0.05 ppm Ceiling (activated and inactivated)	none listed	none listed

OSHA Vacated PELs: Glutaraldehyde: No OSHA Vacated PELs are listed for this chemical. Water: No OSHA Vacated PELs are listed for this chemical.

Personal Protective Equipment

Eyes: Wear chemical splash goggles and face shield.

Skin: Wear appropriate protective gloves to prevent skin exposure.

Clothing: Wear appropriate protective clothing to prevent skin exposure.

Respirators: Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Section 9: Physical and Chemical Properties

Physical State: Liquid

Appearance: clear, colorless

Odor: sharp odor - fruity odor - medicinal odor

pH: 3 - 5

**CAMACHEM (Part of CAMAL Group), 3F Jinlong East Beijing Station Road
Chaoyang District, Beijing, China**
www.camachem.com



Contact: sales@camachem.com

Vapor Pressure: 15 mm Hg @ 20 deg C

Vapor Density: 1.09 (air=1)

Evaporation Rate:0.93 (BuAc =1)

Viscosity: Not available.

Boiling Point: 101 deg C

Freezing/Melting Point:-21 deg C

Decomposition Temperature:Not available.

Solubility: Soluble.

Specific Gravity/Density:1.13 g/cm³

Molecular Formula:C₅H₈O₂

Molecular Weight:100.12

Section 10: Stability and Reactivity Data

Chemical Stability: Stable under normal temperatures and pressures.

Conditions to Avoid: Exposure to air, excess heat.

Incompatibilities with Other Materials: Strong oxidizing agents, strong bases, Note: [Alkaline solutions of glutaraldehyde (i.e., activated glutaraldehyde) react with alcohol, ketones, amines, hydrazines and proteins.].

Hazardous Decomposition Products: Carbon monoxide, carbon dioxide.

Hazardous Polymerization: May occur.

Section 11: Toxicological Information

RTECS#:

CAS# 111-30-8: MA2450000

CAS# 7732-18-5: ZC0110000

LD50/LC50:

CAS# 111-30-8:

**CAMACHEM (Part of CAMAL Group), 3F Jinlong East Beijing Station Road
Chaoyang District, Beijing, China**
www.camachem.com



Contact: sales@camachem.com

Draize test, rabbit, eye: 1 mg Severe;

Draize test, rabbit, eye: 250 ug/24H Severe;

Draize test, rabbit, skin: 2 mg/24H Severe;

Inhalation, rat: LC50 = 480 mg/m³/4H;

Oral, mouse: LD50 = 100 mg/kg;

Oral, mouse: LD50 = 231 mg/kg;

Oral, rat: LD50 = 134 mg/kg;

Oral, rat: LD50 = 140 mg/kg;

Skin, rabbit: LD50 = 560 uL/kg;

Skin, rat: LD50 = >2500 mg/kg;

CAS# 7732-18-5:

Oral, rat: LD50 = >90 mL/kg;

Carcinogenicity:

CAS# 111-30-8: Not listed by ACGIH, IARC, NTP, or CA Prop 65.

CAS# 7732-18-5: Not listed by ACGIH, IARC, NTP, or CA Prop 65.

Epidemiology: No information found

Teratogenicity: See actual entry in RTECS for complete information.

Reproductive Effects: TDLo - Lowest published toxic dose(Oral, rat) = 875 mg/kg; Paternal Effects - testes, epididymis, sperm duct, prostate, seminal vesicle, Cowper's gland, accessory glands. TDLo - Lowest published toxic dose(Oral, rat) = 4370 mg/kg; Maternal Effects - uterus, cervix, vagina.

Mutagenicity: Mutation in microorganisms(Salmonella typhimurium)=150 ug/plate Mutation in microorganisms(Escherichia coli)= 6250ng/plate.

Neurotoxicity: No information found

Other Studies:

**CAMACHEM (Part of CAMAL Group), 3F Jinlong East Beijing Station Road
Chaoyang District, Beijing, China**
www.camachem.com



Contact: sales@camachem.com

Section 12: Ecological Information

Ecotoxicity: Bacteria: *Phytobacterium phosphoreum*: EC50 = 76.0 mg/L; 5 minutes; Microtox test

Section 13: Disposal Considerations

chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261.3. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification.

RCRA P-Series: None listed.

RCRA U-Series: None listed.

Section 14: Transport Information

Shipping Name:	CORROSIVE LIQUIDS, N.O.S.
Hazard Class:	8
UN Number:	UN3265
Packing Group:	II

Section 15: Other Regulatory Information

US FEDERAL

TSCA

CAS# 111-30-8 is listed on the TSCA inventory.

CAS# 7732-18-5 is listed on the TSCA inventory.

Health & Safety Reporting List

None of the chemicals are on the Health & Safety Reporting List.

Chemical Test Rules

None of the chemicals in this product are under a Chemical Test Rule.

Section 12b None of the chemicals are listed under TSCA Section 12b.

TSCA Significant New Use Rule

**CAMACHEM (Part of CAMAL Group), 3F Jinlong East Beijing Station Road
Chaoyang District, Beijing, China**
www.camachem.com



Contact: sales@camachem.com

None of the chemicals in this material have a SNUR under TSCA.

CERCLA Hazardous Substances and corresponding RQs

None of the chemicals in this material have an RQ.

SARA Section 302 Extremely Hazardous Substances

None of the chemicals in this product have a TPQ.

SARA Codes CAS # 111-30-8: immediate.

Section 313 No chemicals are reportable under Section 313.

Clean Air Act:

This material does not contain any hazardous air pollutants.

This material does not contain any Class 1 Ozone depleters.

This material does not contain any Class 2 Ozone depleters.

Clean Water Act:

None of the chemicals in this product are listed as Hazardous Substances under the CWA.

None of the chemicals in this product are listed as Priority Pollutants under the CWA.

None of the chemicals in this product are listed as Toxic Pollutants under the CWA.

OSHA: None of the chemicals in this product are considered highly hazardous by OSHA.

STATE

CAS# 111-30-8 can be found on the following state right to know lists: California, New Jersey, Pennsylvania, Minnesota, Massachusetts.

CAS# 7732-18-5 is not present on state lists from CA, PA, MN, MA, FL, or NJ.

California Prop 65

California No Significant Risk Level: None of the chemicals in this product are listed.

European/International Regulations

**CAMACHEM (Part of CAMAL Group), 3F Jinlong East Beijing Station Road
Chaoyang District, Beijing, China**
www.camachem.com



Contact: sales@camachem.com

European Labeling in Accordance with EC Directives

Hazard Symbols: T N

Risk Phrases:

R 23/25 Toxic by inhalation and if swallowed.

R 34 Causes burns.

R 42/43 May cause sensitization by inhalation and skin contact.

R 50 Very toxic to aquatic organisms.

Safety Phrases:

S 26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S 36/37/39 Wear suitable protective clothing, gloves and eye/face protection.

S 45 In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

S 61 Avoid release to the environment. Refer to special instructions /safety data sheets.

WGK (Water Danger/Protection) CAS# 111-30-8: 2

CAS# 7732-18-5: No information available.

Canada - DSL/NDSL

CAS# 111-30-8 is listed on Canada's DSL List.

CAS# 7732-18-5 is listed on Canada's DSL List.

Canada – WHMIS

This product has a WHMIS classification of D1B, D2A, D2B, E.

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all of the information required by those regulations.

**CAMACHEM (Part of CAMAL Group), 3F Jinlong East Beijing Station Road
Chaoyang District, Beijing, China**
www.camachem.com



Contact: sales@camachem.com

Canadian Ingredient Disclosure List
--

CAS# 111-30-8 is listed on the Canadian Ingredient Disclosure List.

Section 16: Other Information

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall we be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if we have been advised of the possibility of such damages.

**CAMACHEM (Part of CAMAL Group), 3F Jinlong East Beijing Station Road
Chaoyang District, Beijing, China**
www.camachem.com